

ARCHI

Designer

Pierre Paulin

PRODUCTS

FIRESIDE CHAIR BASE IN SATIN-FINISH BLACK

LACQUER



Dimensions

Height 37 "
Width 25 "
Depth 35 "
Seat height 16 "
Weight 66.139 lb
Seats 1 place

FIRESIDE CHAIR BASE IN BLACK STAINED ASH



Dimensions

Height 37 "
Width 25 "
Depth 35 "
Seat height 16 "
Weight 66.139 lb
Seats 1 place

FIRESIDE CHAIR BASE CHERRY-STAINED ASH



Dimensions

Height 37 "
Width 25 "
Depth 35 "
Seat height 16 "
Weight 66.139 lb
Seats 1 place

ARMCHAIR BASE IN SATIN-FINISH BLACK LACQUER

ARMCHAIR BASE IN BLACK STAINED ASH

More information on
www.ligne-roset.com

ligne roset®
depuis 1860

© Ligne Roset 2025

**Dimensions**

Height 37 "
Width 34 "
Depth 35 "
Seat height 16 "
Weight 99.208 lb
Seats 1 place

**Dimensions**

Height 37 "
Width 34 "
Depth 35 "
Seat height 16 "
Weight 99.208 lb
Seats 1 place

ARMCHAIR BASE CHERRY-STAINED ASH**OTTOMAN BASE IN SATIN-FINISH BLACK LACQUER****Dimensions**

Height 37 "
Width 34 "
Depth 35 "
Seat height 16 "
Weight 99.208 lb
Seats 1 place

**Dimensions**

Width 24 "
Depth 14 "
Seat height 16 "
Weight 44.092 lb
Seats 1 place

OTTOMAN BASE IN BLACK STAINED ASH**Dimensions**

Width 24 "
Depth 14 "
Seat height 16 "
Weight 44.092 lb
Seats 1 place

OTTOMAN BASE CHERRY-STAINED ASH**Dimensions**

Width 24 "
Depth 14 "
Seat height 16 "
Weight 44.092 lb
Seats 1 place

Technical characteristics**CONSTRUCTION**

Mechano-soldered steel with ABS edging and elastic webbing. Quilted with polyether foam 50 kg/m³ - 3.9 kPa. Frame and legs linked with silentblocs. Base in 1 1/4" x 3/4" (30 x 20

mm) rectangular steel tubing in a satin black lacquered finish ; or in anthracite-stained or cherry-stained ash.

COMFORT

Suspension of seat and back via elastic webbing. Integral seat cushion in high resilience polyurethane Bultex foam 30 kg/m³ - 1.8 kPa. Back cushions in Bultex foam 26 kg/m³ - 1.4 kPa. Cushions clad in polyester quilting 100 g/m².

Armchair: steel arms clad in polyurethane foam 35 kg/m³ - 3.2 kPa overlaid with polyester quilting 100 g/m².

COVER

Baguette stitching. Covers may be removed by a professional.

FABRICS

Any fabrics, microfibres or leathers may be used (NB except technical impossibilities).