COMPOSITION ENKI



Designer Evangelos Vasileiou

Dimensions

Technical characteristics

CONSTRUCTION

Settees and armchair: armrest and backrest in 3-layer particleboard and MDF. Seat: mechanically-soldered steel and rods of multi-ply. Ottoman: seat in 3-lawer particleboard and panels of multi-ply. Panels clad in polyether foam and high resilience polyurethane Bultex foam. The entire

structure is clad in 200 g/m² polyester quilting.

Round legs Ø 3/4'' - 20 mm in matt black lacquered steel. Choice of 2 heights: H 4'' - 10 cm or H 5'' - 13 cm.

COMFORT

Suspension of seat via elastic webbing. Seat cushion in high resilience polyurethane Bultex foam 36 kg/m3 – 2.8 kPa, 42 kg/m3 – 4.8 kPa and 200 g/m2 polyester quilting. Structure of seat clad in 200 g/m2 polyester quilting. Backrest in high resilience Bultex foam 36 kg/m3 – 2.8 kPa, 26 kg/m3 – 1.4 kPa and 200 g/m2 polyester quilting. Armrests in high resilience Bultex foam 26 kg/m3 – 1.4 kPa and 200 g/m2 polyester quilting. High back cushions filled with goose feathers and down, of which 15 % feathers, with 3 mm thick sheet ABS rear

More information on www.ligne-roset.com



© Ligne Roset 2025

reinforcement (settees: 29" x 20" - 74 x 51 cm, armchair: 23 1/2" x 16 1/4" - 60 x 41 cm). Low back cushions (may replace the high back cushions of both settees) filed with goose feathers and down, of which 15 % feathers (26 3/4" x 15 3/4" - 68 x 40 cm). Pair of small throw cushions 19 3/4" x 19 3/4" - 50 x 50 cm for the 1-arm settees or asymmetrical settees, to dress the corner of a composition.

MAKING-UP

Structure of back/armrest and seat : 5 mm baguette stitching. Seat and back cushions : 8 mm bourrelet stitch. Covers are removable.

COVERING MATERIALS

This classic seat, which offers both stand-alone settees and armchairs and corner compositions, is most ideally covered in leather or Alcantara, but also works well in wools or velvets. It may be rendered in a bi-material and/or bicolor interpretation: structure + seat in one color/material, back cushions in another.

