

SMALL SETTEE ÉLYSÉE

Designer

Pierre Paulin



Technical characteristics

CONSTRUCTION

Seat in panels of OSB and multi-ply, cut and clad in polyether foam and 100g/m² polyester quilting. Back in panels of OSB and mechanically-soldered steel clad in polyether foam and 100g/m² polyester quilting. Base in matt black lacquered machined MDF.

COMFORT

Seat with core in two densities of high resilience polyurethane Bultex foam (38 kg/m³ - 3.6 kPa and 32 kg/m³ - 2.5 kPa) with comfort layer in Bultex foam (38 kg/m³ - 2.3 kPa) clad in 100 g/m² polyester quilting. Suspension of back via elastic webbing and Bultex foam (26 kg/m³ - 1.4 kPa) clad in 100 g/m² polyester quilting.

MAKING-UP

More information on
www.ligne-roset.com

ligne roset[®]
depuis 1860

Dimensions

Height 700 mm | Width 1,700 mm | Depth 800 mm |
Seat height 350 mm | Seats 2 places | Weight 47 kg

© Ligne Roset 2025

Lines of the seat and back highlighted by twin-needle stitching.

Covers are held in place by gripper strips and are removable.

FABRICS

A monocolour model which may be upholstered in fabric or leather. If the original pieces in the Elysée Palace were upholstered in oatmeal-coloured fabric, coloured wools will also bring a touch of brightness and gaiety.