

PRODUCTS

ASMARA

Designer

Bernard Govin

Technical characteristics

"A new way of living!" such was the 1968 introduction of American Vogue to Bernard Govin's U.F.O. (Unidentified Flying Object), which beautifully embodies this floor-loving style of interior arrangement which has also been called « low look ». After a long period during which it was only to be seen in the collections of the Musée des Arts décoratifs, Asmara is now making its big comeback to the collection for the 160th anniversary of Ligne Roset. Nostalgics, collectors, fans of co-working and above all visionaries will want to seize the opportunity to rediscover this mythical seating, its comfort further improved by the latest innovations from the Roset R&D department! Asmara defines itself as a modular settee in a stretch fabric, the concave shapes of which voluptuously hug the contours of the body in an aesthetically human design.

CONSTRUCTION : an all-foam model.

ELEMENT 502 CONCAVE



Dimensions

Height 320 mm
Width 780 mm
Depth 610 mm
Seat height 210 mm
Weight 6.5 kg
Seats 1 place

ELEMENT 501 CONVEX



Dimensions

Height 490 mm
Width 780 mm
Depth 610 mm
Seat height 490 mm
Weight 10 kg
Seats 1 place

ELEMENT 503 SMALL BACK



Dimensions

Height 490 mm
Width 780 mm
Depth 310 mm
Weight 5 kg

ELEMENT 504 LARGE BACK



Dimensions

Height 490 mm
Width 780 mm
Depth 610 mm
Weight 8.5 kg

COMPOSITION 6 ELEMENTS



Dimensions

Height 490 mm

More information on
www.ligne-roset.com

ligne roset[®]
depuis 1860

© Ligne Roset 2025

Base in polyether foam (elements 501 and 503: 34 kg/m³ - 5.7 kPa ; elements 502 and 504 : 28 kg/m³ - 4.8 kPa). COMFORT : elements 501 and 504 are composed of high resilience polyurethane Bultex foam (38 kg/m³ - 2,8 kPa and 36 kg/m³ - 2.8 kPa) clad in 110 g/m² polyester quilting. Element 502 is composed of high resilience polyurethane Bultex foam (36 kg/m³ - 2.8 kPa and 38 kg/m³ - 2.8 kPa) clad in 110 g/m² polyester quilting. Element 503 is composed of high resilience polyurethane Bultex foam (38 kg/m³ - 3.6 kPa) clad in 110 g/m² polyester quilting. Cushion in ultra-flexible foam (50 kg/m³ - 1.8 kPa). MAKING-UP : fabrics with elastic properties must be selected. 5 mm baguette stitch detailing on all elements. Twin-needle stitching on cushion. Covers may be removed by a professional.

Width 1,560 mm
Depth 1,530 mm
Seat height 210 mm

COMPOSITION 9 ELEMENTS



Dimensions

Height 490 mm
Width 2,340 mm
Depth 1,830 mm
Seat height 210 mm


COMPOSITION 12 ELEMENTS



Dimensions

Height 490 mm
Width 2,340 mm
Depth 2,140 mm
Seat height 210 mm

COMPOSITION 16 ELEMENTS



Dimensions

Height 490 mm
Width 3,120 mm
Depth 2,140 mm
Seat height 210 mm