

SUSPENDED CEILING LIGHT 1 CABLE BRASS BELL

Designer

Patrick Zulauf

Description

Borosilicate glass, having a low coefficient of thermal expansion, is less sensitive to temperature shocks. A warm alliance of copper and zinc, brass is the only metal capable of imitating gold. It is noted for its colour, which varies from pink to yellow. When unlit, the shade is golden brass in appearance. When illuminated, the brass-coated glass becomes transparent, with the bulb becoming visible in a surprising hologram effect. 1-cable suspended light with shade H 29.5 cm / Ø 16.5 in semi-transparent brass-coloured borosilicate glass. Epoxy satin black lacquered ceiling fitting H 3 cm / Ø 10 cm. Round black PVC cable. Supplied with 1 x 5 W Gu10 dichroic full glass LED bulb - angle of diffusion 36°.



Dimensions

Height 1,825 mm | Diameter 165 mm | Weight 1 kg

Technical characteristics

The sobriety of the black lacquered stem of the Brass Bell reading light enhances the golden brass finish of the borosilicate glass shade. Borosilicate glass, having a low coefficient of thermal expansion, is less sensitive to temperature shocks. A warm alliance of copper and zinc, brass is the only metal capable of imitating gold. It is noted for its colour, which varies from pink to yellow. When unlit, the shade is golden brass in appearance. When illuminated, the brass-coated glass becomes transparent, with the bulb becoming visible in a surprising hologram effect. The shade of the reading light is directional (low/high and 360° rotation), enabling one to direct the light source towards the user. Base of reading light Ø 16 cm and stem in Epoxy satin black lacquered steel. Directional shade H 29.5 cm / Ø 16.5 cm in semi-transparent brass-coloured borosilicate glass. Head of light is directional (low/high and 360° rotation). Black PVC cable with foot switch. Supplied with 1 x 5 W Gu10 dichroic full glass LED bulb - angle of diffusion 36°. - 1-cable suspended light with shade H 29.5 cm / Ø 16.5 in semi-transparent brass-coloured borosilicate glass. Epoxy satin black lacquered ceiling fitting H 3 cm / Ø 10 cm. Round black PVC cable. Supplied with 1 x 5 W Gu10 dichroic full glass LED bulb - angle of diffusion 36°. - 3-cable suspended light with 3 shades H 29.5 cm / Ø 16.5 cm in

semi-transparent brass-coloured
borosilicate glass. Epoxy satin black
lacquered ceiling fitting H3 - W 77.5 x D
7.5 cm. Round black PVC cable. Supplied
with 3 x 5 W Gu10 dichroic full glass LED
bulbs - angle of diffusion 36°.