

# SUSPENDED CEILING LIGHT 5 CABLES BRASS BELL

## Designer

Patrick Zulauf

## Description

Borosilicate glass, having a low coefficient of thermal expansion, is less sensitive to temperature shocks. A warm alliance of copper and zinc, brass is the only metal capable of imitating gold. It is noted for its colour, which varies from pink to yellow. When unlit, the shade is golden brass in appearance. When illuminated, the brass-coated glass becomes transparent, with the bulb becoming visible in a surprising hologram effect. 5-cable suspended light with 5 shades H 29.5 cm / Ø 16.5 cm in semi-transparent brass-coloured borosilicate glass. Epoxy satin black lacquered ceiling fitting H 4,5 - Ø 38 cm. Round black PVC cable (150 cm). Supplied with 5 x 5 W Gu10 dichroic full glass LED bulbs (not dimmer) - angle of diffusion 32°, Colour



## Dimensions

Height 1,840 mm | Diameter 485 mm | Weight 5.9 kg

temperature 2700K (warm white), 400 Lumens.

## Technical characteristics

The sobriety of the black lacquered stem of the Brass Bell reading light enhances the golden brass finish of the borosilicate glass shade. Borosilicate glass, having a low coefficient of thermal expansion, is less sensitive to temperature shocks. A warm alliance of copper and zinc, brass is the only metal capable of imitating gold. It is noted for its colour, which varies from pink to yellow. When unlit, the shade is golden brass in appearance. When illuminated, the brass-coated glass becomes transparent, with the bulb becoming visible in a surprising hologram effect. The shade of the reading light is directional (low/high and 360° rotation), enabling one to direct the light source towards the user. Base of reading light Ø 16 cm and stem in Epoxy satin black lacquered steel. Directional shade H 29.5 cm / Ø 16.5 cm in semi-transparent brass-coloured borosilicate glass. Head of light is directional (low/high and 360° rotation). Black PVC cable with foot switch. Supplied with 1 x 5 W Gu10 dichroic full glass LED bulb - angle of diffusion 36°. - 1-cable suspended light with shade H 29.5 cm / Ø 16.5 in semi-transparent brass-coloured borosilicate glass. Epoxy satin black lacquered ceiling fitting H 3 cm / Ø 10 cm. Round black PVC cable. Supplied with 1 x 5 W Gu10

dichroic full glass LED bulb - angle of diffusion 36°. - 3-cable suspended light with 3 shades H 29.5 cm / Ø 16.5 cm in semi-transparent brass-coloured borosilicate glass. Epoxy satin black lacquered ceiling fitting H3 - W 77.5 x D 7.5 cm. Round black PVC cable. Supplied with 3 x 5 W Gu10 dichroic full glass LED bulbs - angle of diffusion 36°.